

Proceed[®] Metallic Texture

000D153 Proceed[®]
Metallic Texture – Pearl Base

000D158 Proceed[®]
Metallic Texture – Gold Base

Proceed[®] Metallic Texture

000D153 Proceed[®] Metallic Texture – Pearl Base

000D158 Proceed[®] Metallic Texture – Gold Base

PRODUCT APPLICATION

Proceed[®] Metallic Texture is a translucent acrylic metallic plaster highly pigmented with mica effect pigments. Apply to a clean and dry primed or painted surface by roller or trowel. Work the first coat with a trowel to desired base texture. Apply subsequent coats by trowel, removing excess material to create a smooth surface. Additional coats accentuate the metallic luster in the final finish. Full hardness is developed in 2 - 4 weeks. Let dry 12 - 24 hours before over coating with other Proceed[®] products.

TINTING:

Proceed Metallic Texture is available in two bases:

000D153 Proceed[®] Metallic Texture – Pearl Base

000D158 Proceed[®] Metallic Texture – Gold Base

A complete color palette from cool to warm metallic finishes can be achieved by tinting these bases. Metallic texture bases may be blended in any ratio desired. Gold Metallic Texture incorporates a gold mica pigment in place of pearl. As a result, the "flash" or reflection at the critical angle is gold in color instead of white/silvery. Gold Metallic Texture is intended as a tinting base for metallic colors when a warm undertone and reflection is desired.

Tint with **Proceed[®] Pigment Dispersions** or **Proceed[®] Slow-Drying Fluids** if a weaker tint is desired, mixing thoroughly before use. Use high transparency pigments to maximize transparency of the final finish. High hiding pigments will result in greater opacity. Because the mica used in the Gold texture has a bright reflection, incorporating White Dispersion in the color formula may be necessary when tinting more subdued warm colors. The Metallic textures may also be tinted with **Proceed[®] Metallic Mediums** to add metallic luster and depth. Do not add more than 10% dispersion, Metallic Medium or Slow-Drying Fluid in combination by volume. Use of more than recommended percentage could cause a change in application characteristics or (in the case of dispersions) water sensitivity in the dried finish. Always test tint ratio for desired color before use.

MANUFACTURED BY

GOLDEN
ARTIST COLORS[®]

Golden Artist Colors, Inc.
188 Bell Road
New Berlin, NY 13411 USA
607-847-6154
www.goldenpaints.com

The above information is based on research and testing done by Golden Artist Colors, Inc., and is provided as a basis for understanding the potential uses of the products mentioned. Due to the numerous variables in methods, materials and conditions of producing art, Golden Artist Colors, Inc. cannot be sure the product will be right for you. Therefore, we urge product users to test each application to ensure all individual project requirements are met. While we believe the above information is accurate, WE MAKE NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, and we shall in no event be liable for any damages (indirect, consequential, or otherwise) that may occur as a result of a product application.

Proceed[®]
Metallic Texture

000D153 Proceed[®]
Metallic Texture - Pearl Base

000D158 Proceed[®]
Metallic Texture - Gold Base

ADDITIONAL INFORMATION:

Always use safe work practices. Avoid ingestion, excessive skin contact, and inhalation of concentrated vapors and sanding dusts. Clean tools with soap and water.

Store between 50 and 80 degrees Fahrenheit.

DO NOT FREEZE.

If frozen repeatedly, the product may become unusable.

MANUFACTURED BY

GOLDEN
ARTIST COLORS[®]

Golden Artist Colors, Inc.
188 Bell Road
New Berlin, NY 13411 USA
607-847-6154
www.goldenpaints.com

The above information is based on research and testing done by Golden Artist Colors, Inc., and is provided as a basis for understanding the potential uses of the products mentioned. Due to the numerous variables in methods, materials and conditions of producing art, Golden Artist Colors, Inc. cannot be sure the product will be right for you. Therefore, we urge product users to test each application to ensure all individual project requirements are met. While we believe the above information is accurate, WE MAKE NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, and we shall in no event be liable for any damages (indirect, consequential, or otherwise) that may occur as a result of a product application.